


A parts list of the position


Monaco 6x5 LTH (44)				
Position	Name	L Length mm	Q	M2
003.	Foundation treated bearer	4813	2	
003.a	Foundation treated bearer	5719	12	
008.	Floor board	4717		27.59
009.	trims for flooring	1589	6	
009.a	trims for flooring	1923	6	
010.	Strip (for inside roof)	32000	1	
017.	Various wall log 44x135	402992	1	
037.	Roof board	3165		38.68
039.	Fascia board	3185	4	
039.a	Fascia board strip	3195	4	
039.b	Fascia board	2995	4	
043.	Strip	1860	1	
044.	Double outside door 1295x1860mm	-	1	
045.	Double window 1380x910 mm	-	2	
046.	Double door strip (horizontal)	1395	2	
046.a	Double door strip (vertical)	1830	4	
046.b	Double window strip (horizontal)	1480	8	
046.c	Double window strip (vertical)	880	8	
058.	Rhombus	135	4	
060.	Screw for walls 6x180	-	127	
060.a	Screw set	-	1	
070.	Door/window hardware	-	1	
070.a	Door/window hardware	-	1	
070.b	Door/window hardware	-	1	
070.c	Screw	-	16	
070.d	Door/window hardware	-	8	

I. Architectural drawings



Monaco 6x5 LTH (44)






I.1. Foundation plan dimensions:



I.2. Building plan:









We recommend
23 screws to this
wall.

Wall on axis 1





A

B

We recommend 26 screws to this wall.

Wall on axis 2





A

B

We recommend 27 screws to this wall.


Wall on axis B



Wall on axis Y1




We recommend 2 screws to this wall.



Wall on axis Y2



We recommend 2 screws to this wall.



Wall on axis Y3



We recommend 2 screws to this wall.

